

## ER 4047 Aluminium Brazing Wire



Element	Si	Fe	Mn	Cu	Mg	Others	Al
Percent	12.0	0.08	0.15	0.30	1.10	0.15	Balance

[Read More](#)

**SKU:** ER 4047

**Price:**

**Stock:** instock

**Categories:** [Aluminium Brazing Wires](#),  
[Brazing Wires and Flux](#), [Welding Consumables](#), [Welding Filler Wires](#)

### Product Description

ER 4047 is Al-Si alloy having low melting point with good structure and colour match. Low melting point ensure reduction in parent metal distortion. This has increased fluidity and reduced shrinkage due to higher Si content than ER 4043. Not suitable for anodizing. This can be used in applications of sustained elevated temperatures. COMPOSITION OF ALL WELD METAL (%)

Element	Si	Fe	Mn	Cu	Mg	Others	Al
Percent	12.0	0.08	0.15	0.30	1.10	0.15	Balance